

### **Referanser for Bailine Elektrotrening:**

- Adams JE, Hosobuchi Y: Technique and technical problems. *Neurosurg*, 1:196 199, 1977.
- Adrian ED, Bronk DW: The discharge of impulses in motor nerve fibers. Part 2. The frequency of discharge in reflex and voluntary contraction. *J Physiol*, 67:119 151, 1929.
- Axelgaard J: Transcutaneous electrical muscle stimulation for the treatment of progressive spinal curvature deformities. *Int Rehabil Med*, 6:31 46, 1984.
- Bajd T, Kralj A, Sega J, Turk R, Benko H, Strojnik P: Use of a two channel functional electrical stimulator to stand paraplegic Patients. *Phys Ther*, 61:526 527, 1981.
- Baker LL: Clinical uses of neuromuscular electrical stimulation. In: *Clinical Electrotherapy*, 2nd ed, RM Nelson, DP Currier, eds: Appleton & Lange, Norwalk, CT, 1991 pp 143 170.
- Baker LL, Bowman BR, McNeal DR: Effects of waveform. on comfort during neuromuscular electrical stimulation. *Clin Orthop Rel Res*, 233:75 85, 1985.
- Baker LL, Cole K, Hart J, Smith D, Wong T, McNeal DR: Effects of duty cycle and frequency on muscle fatigue during isometric electrically stimulated quadriceps contractions. *Phys Ther*, 68: 835, 1988.
- Baker LL, Yeh C, Wilson D, Waters RL: Electrical stimulation of wrist and fingers for hemiplegic patients. *Phys Ther*, 59:1495 1499, 1979.
- Basmajian JV, Bazant FJ: Factors preventing downward dislocation of the adducted shoulder joint, *J Bone Joint Surg*, 41A:1182 1186, 1959.
- Binder Macleod SA: Force frequency relation in skeletal muscle. In: *Dynamics of Human Biologic Tissues*, DP Currier, RM Nelson, eds: FA Davis, Philadelphia, PA, 1992, pp 97 113.
- Bowman BR, Baker LL: Effects of waveform parameters on comfort during transcutaneous neuromuscular electrical stimulation. *Ann Biomed Eng*, 13:59 74, 1985.
- Bowman BR, Baker LL, Waters RL: Positional feedback and electrical stimulation: An automated treatment for the hemiplegic wrist. *Arch Phys Med Rehabil*, 60:497 502, 1970.
- Cambridge NA: Electrical apparatus used in medicine before 1900. *Proc Roy Soc Med*, 70:635 641, 1977.
- Chen D, Philip M, Philip PA, Monga TN: Cardiac pacemaker inhibition by transcutaneous electrical nerve stimulation. *Arch Phys Med Rehabil*, 71:27 30, 1990.
- Currier DP, Lehman J, Lightfoot P: Electrical stimulation in exercise of the quadriceps femoris muscle. *Phys Ther*, 59:1508 1512, 1979.
- Currier DP, Mann R: Muscular strength development by electrical stimulation in healthy individuals. *Phys Ther*, 63:915 921, 1983.
- Delitto A, Rose S: Comparative comfort of three waveforms used in electrically eliciting quadriceps femoris muscle contractions. *Phys Ther*, 66:1704 1707, 1986.
- Delitto A, Rose S, McKowen JM, Lehman RC, Thomas JA, Shindy RA: Electrical stimulation versus voluntary exercise in strengthening thigh musculature after anterior cruciate ligament surgery. *Phys Ther*, 68:660 663, 1988.
- Delitto A, Snyder Mackler L: Two theories of muscle strength augmentation using percutaneous electrical stimulation. *Phys Ther*, 70:158 164, 1990..
- Dimitrijevic MR, Nathan PW: Studies of spasticity in man. 5. Dishabituation of the flexion reflex in spinal man. *Brain*, 94:77 90, 1971.
- Edstrom L, Kugelberg E: Histochemical composition, distribution of fibers and fatiguability of single motor units (anterior tibial muscle of the rat). *J Neurol Neurosurg Psych*, 31:424 433, 1968.
- Electrotherapeutic Terminology in Physical Therapy*. Section on Clinical Electrophysiology: American Physical Therapy Association, Alexandria, VA, 1990.
- Eriksson E, Haggmark T: Comparison of isometric training and electrical stimulation supplementing isometric muscle training in the recovery after major knee ligament surgery. *Am J Sports Med*, 7:169 171, 1979.

Gardner ER, Baker LL: Functional electrical stimulation of paralytic muscle. In: Dynamics of Human Biologic Tissues, DP Currier, RM Nelson, eds: FA Davis, Philadelphia, PA, 1992, pp 182-204.

Geddes LA, Baker LE: Principles of Applied Biomedical Instrumentation, 3<sup>rd</sup> ed: John Wiley and Sons, New York, NY, 1989.

Gersh MR, ed: Electrotherapy in Rehabilitation. FA Davis Co, Philadelphia, PA, 1992.

Gould N, Donnermeyer D, Gammon GG, Pope M, Ashikaga T: Transcutaneous muscle stimulation as a method to retard disuse atrophy. *Clin Orthop Rel Res*, 178:190-197, 1983.

Gracianin F: Functional electrical stimulation in external control of motor activity and movements of paralysed extremities. *Int Rehabil Med*, 6:25-30, 1984.

Guyton AC, ed: Textbook of Medical Physiology, 8<sup>th</sup> ed: Saunders, Philadelphia, PA, 1991.

Hodgkin AL, Huxley AF: Currents carried by sodium and potassium ions through the membrane of the giant axon of *Ioligo*. *J Physiol*, 116:449-472, 1952.

Hufschmidt HJ: Electrotherapy of spasticity. *Electroenceph Clin Neurophysiol*, 23:388, 1967.

Johnson DH, Thurston P, Ashcroft PJ: The Russian technique of faradism in the treatment of chondromalacia patellae. *Physiotherapy (Canada)*, 29:266-268, 1977.

Keynes RD: Ion channels in the nerve cell membrane. *Sci Amer*, 240:126-135, 1979.

Kots Y: Notes from lectures and laboratory periods, Canadian Soviet Exchange Symposium on Electrostimulation of Skeletal Muscles (translated by I Babkin & N Timtsenko), Concordia University, Montreal, Quebec, Dec. 1977, unpublished.

Kukulka CG: Human skeletal muscle fatigue. In: Dynamics of Human Biologic Tissues, DP Currier, RM Nelson, eds: FA Davis, Philadelphia, PA, 1992, pp 163-181.

Lai HS, DeDomenico F, Strauss G: The effect of different electro motor stimulation training intensities on strength improvement. *Aust J Physiother*, 34:151-164, 1988.

Liberson WT. Experiment concerning reciprocal inhibition of antagonists elicited by electrical stimulation of agonists in a normal individual. *Am J Phys Med*, 44:306-308, 1965.

Liberson WT, Holmquest HJ, Scot D, Dow M: Functional electrotherapy: Stimulation of the peroneal nerve synchronized with the swing phase of the gait of hemiplegic patients. *Arch Phys Med Rehabil*, 42:101-105, 1961.

Licht S: History of electrodiagnosis. In: *Electrodiagnosis and Electromyography*, 3<sup>rd</sup> ed, S Licht, ed: Waverly, Baltimore, MD, 1971, pp 1-23.

Martin C, (YBrien C): The effects of electrode placement and various stimulus parameters on torque output of the quadriceps muscle during knee extension. *Dept Phys Ther, Univ, So Calif*, 1984.

Massey BH, Nelson RC, Sharkey BC, Comden T, Ottott GC: Effects of high frequency electrical stimulation on the size and strength of skeletal muscle. *Sports Med Phys Fitness*, 5:136-144, 1965.

McNeal DR, Baker LL: Effects of joint angle, electrodes and waveform on electrical stimulation of the quadriceps and hamstrings. *Ann Biomed Eng*, 16:299-310, 1988.

McNeal DR, Baker LL, Symons J: Recruitment data for nerve cuff electrodes: Implications for design of implantable stimulators. *IEEE Trans Biomed Eng*, 36:301-308, 1989.

McNeal DR, Nakai Rj, Meadow P, TV W: Open loop control of the freely swinging paralyzed leg. *IEEE Trans Biomed Eng*, 36:895-905, 1989.

McTague M, Lynch S: The effect of ON:OFF times on fatigue during electrical stimulation of the quadriceps muscle. *Dept Phys Ther, Univ So Calif*, 1991.

Merletti R, Zelaschi F, Latella D, Galli M, Angeli S, Sessa MB: A control study of muscle force recovery in hemiparetic patients during treatment with functional electrical stimulation. *Scand j Rehabil Med*, 10:147-154, 1978.

Mifsud M, Literowich W, Naumann S, Milner M, Herbert M: Transcutaneous muscle stimulator with two independent channels for use by cerebral palsied children with spastic diplegia. *Can Med Biol Eng Conf*, 9:31-32, 1982.

Mortimer JT: Motor prostheses. In: *The Handbook of Physiology*. Vol II. Section 1: The Nervous System, VB Brooks, ed. Am Physiol Soc, Bethesda, MD, 1981, pp 155-187.

Mortimer JT, Kerstein MD, Magnusson R, Petersen I: Muscle blood flow in the human biceps as a function of developed muscle force. *Arch Surg*, 103:376-377, 1971.

Mountcastle VB, ed: *Medical Physiology*, 14th ed: CV Mosby, St. Louis, MO, 1980.

Nelson HE, Smith MB, Bowman BR, Waters RL: Electrode effectiveness during transcutaneous motor stimulation. *Arch Phys Med Rehabil*, 61:73-77, 1980.

Nelson RM, Currier DP, eds: *Clinical Electrotherapy*, 2nd ed: Appleton & Lange, Norwalk, CT, 1991.

Partridge LD, Benton LA: Muscle the motor. In: *The Handbook of Physiology*. Vol III. Section 1. The Nervous System, VB Brooks, ed: Am Physiol Soc, Bethesda, MD, 1981, pp 43-106.

Ragnarsson KT: Physiologic effects of functional electrical stimulation induced exercises in spinal cord injured individuals. *Clin Ortho Rel Res*, 233:53-63, 1988.

Rebersek S, Vodovnik L: Proportionally controlled functional electrical stimulation of hand. *Arch Phys Med Rehabil*, 54:378-382, 1973.

Romero JA, Sanford TL, Schroeder RV, Fahey TD: The effects of electrical stimulation of normal quadriceps on strength and girth. *Med Sci Sports Exerc*, 14:194-197, 1982.

Selkowitz DM: Improvement in isometric strength of the quadriceps femoris muscle after training with electrical stimulation. *Phys Ther*, 65: 186-196, 1985.

Soo CL, Currier DP, Threlkeld AJ: Augmenting voluntary torque of healthy muscle by optimization of electrical stimulation. *Phys Ther*, 68:333-337, 1988.

Stanic U, Acimovic Janezic R, Gros N, Trnkoczy A, Bajd T, Kljajic M: Multichannel electrical stimulation for correction of hemiplegic gait. *Scand J Rehabil Med*, 10:75-92, 1978.

Strojnik P, Kralj A, Ursic I: Programmed six channel electrical stimulator for complex stimulation of leg muscles during walking. *IEEE Trans Biomed Eng*, BME26:112-116, 1979.

Szeto G, Strauss GR, DeDomenico F, Lai HS: The effect of training intensity on voluntary isometric strength improvement. *Aust J Physiother*, 35:210-217, 1989.

Tasaki I: Conduction of the nerve impulse. In: *The Handbook of Physiology*. Section I. Vol I: Neurophysiology. Am Physiol Soc, Washington, DC, 1959, pp 75-121.

Vander AJ, Sherman JH, Luciano DS: *Human Physiology*, 4th ed: McGraw-Hill, New York, NY, 1985.

Vodovnik L, Bowman BR, Hufford P: Effects of electrical stimulation on spinal spasticity. *Scand J Rehab Med*, 16:29-34, 1984.

Waters RL, McNeal DR, Faloony W, Clifford B: Functional electrical stimulation of the peroneal nerve for hemiplegia: Long term clinical follow-up. *J Bone Joint Surg*, 67A:792-793, 1985.

West JB ed: *Best & Taylor's Physiological Basis of Medical Practice*, 12th ed: Williams & Wilkins, Baltimore, MD, 1990.

Winchester P, Carollo JJ: Afferent stimulation of the S1, S2 dermatomes for calf spasticity in hemiparetic patients. *Proc Rehabil Eng Soc North Am*, 16: 395-397, 1993.